

# AUTO Series

## Low Energy Swing Door Operators

SDC's operator is built with a state-of-the-art microprocessor-based unit that is self-tuning and self-learning while offering non-handed operation, full-mechanical stops and a variety of interface options for sensors, push-plates, fire alarms and electrified locks.

SDC's operator is belt driven with a combination of gears and pulleys which requires less torque, less power, absorbs more abuse, and is quieter than other automatic door openers while complying with all US and Canadian ADA requirements. Onboard diagnostics simplifies troubleshooting for ease of installation and all SDC operators can be easily configured for surface mounted push/pull applications. ANSI certified not required for initial installation.

- Single button, self-tuning setup
- Extremely quiet operation
- Momentary back pressure relief
- Obstruction detection
- Power close option
- Hold-open timer
- External function switches
- Built-in 1 amp+ power supply\*
- Onboard lock sequencing
- Preset dip switches for alternative functions
- Non-handed
- Push or pull compatible
- Spindles included
- High traffic use

\*Onboard power supply will accommodate 1.5amp inrush for all SDC latch retraction products..

### ORDERING GUIDE

	FUNCTION		FINISH
	1		
	2		V
	3		X
	4		Y
<b>AUTOS</b>	1	<b>36</b>	<b>V</b>
<b>AUTOS</b>		<b>36</b>	
<b>AUTOP</b>		<b>42</b>	
		<b>48</b>	
		<b>72</b>	
		<b>84</b>	
		<b>96</b>	
MODEL		LENGTH	

### EXAMPLES

<b>AUTOS136V</b>	Single, Push Arm, 35mm Spindle, 36" Door, 39" Housing, 628	<b>2,814.00</b>
<b>AUTOS136X</b>	Single, Push Arm, 35mm Spindle, 36" Door, 39" Housing, 710	<b>3,153.00</b>
<b>AUTOS236V</b>	Single, Pull Arm, 20mm Spindle, 36" Door, 39" Housing, 628	<b>2,814.00</b>
<b>AUTOS236X</b>	Single, Pull Arm, 20mm Spindle, 36" Door, 39" Housing, 710	<b>3,153.00</b>
<b>AUTOS336V</b>	Single, Arm Kit, 35mm and 20mm Spindles, 36" Door, 39" Housing, 628	<b>3,131.00</b>
<b>AUTOP172V</b>	Double, Push Arms, 35mm Spindles, 72" Door, 75" Housing, 628	<b>5,921.00</b>
<b>AUTOP472V</b>	Double, Double Egress, 80mm and 20mm Spindles, 72" Door, 75" Housing, 628	<b>6,391.00</b>

## COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.




Push Plates & Panels  
Pages 138-139



Bollards  
Page 140




Keypads & Readers  
Page 101-105



Exit Switches & Sensors  
Pages 123-134



Power Transfer Devices  
Page 141



Exit Devices & Retrofit ELR Kits  
Pages 74-87

## AUTO CONFIGURATION 1 of 1

MODEL	●○○○	LIST \$
<b>AUTOS</b>	One Drive Unit, Single Door Operation	<b>2,814.00</b>
<b>AUTOP</b>	Two Drive Units, Double Door Operation	<b>5,693.00</b>

FUNCTION	○●○○	ADD TO LIST
<b>1</b>	Push Arm(s), 35mm Spindle(s)	<b>N/C</b>
<b>2</b>	Pull Arm(s), 20mm Spindle(s)	<b>N/C</b>
<b>3*</b>	Arm Kit, (1) Push and (1) Pull Arm, 35mm and 20mm Spindles	<b>317.00</b>
<b>4**</b>	(1) Push and (1) Double Egress Arm, 80mm and 20mm Spindles	<b>470.00</b>

\* Available for AUTOS models only.

\*\* Available for AUTOP models only.

LENGTH	○○●○	ADD TO LIST
<b>36*</b>	36" Door Opening, 39" Housing Length	<b>N/C</b>
<b>42*</b>	42" Door Opening, 45" Housing Length	<b>N/C</b>
<b>48*</b>	48" Door Opening, 51" Housing Length	<b>N/C</b>
<b>72**</b>	72" Door Opening, 75" Housing Length	<b>228.00</b>
<b>84**</b>	84" Door Opening, 87" Housing Length	<b>228.00</b>
<b>96**</b>	96" Door Opening, 99" Housing Length	<b>228.00</b>

\* Available for AUTOS models only.

\*\*Not available for AUTOS3 models.

FINISH	○○○●	ADD TO LIST	
		SINGLE	DOUBLE
<b>V</b>	628 Dull Aluminum <small>Standard</small>	<b>N/C</b>	<b>N/C</b>
<b>X</b>	710 Dark Bronze	<b>339.00</b>	<b>604.00</b>
<b>Y</b>	335 Dull Black	<b>981.00</b>	<b>1,199.00</b>

## RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

<b>AUTO-AEV</b>	Arm Extension for PUSH Arm for Reveal >8" (13" max), 628	<b>120.00</b>
<b>AUTO-AEX</b>	Arm Extension for PUSH Arm for Reveal >8", 710	<b>168.00</b>
<b>SP20</b>	20mm Spindle	<b>92.00</b>
<b>SP35</b>	35mm Spindle	<b>92.00</b>
<b>SP50</b>	50mm Spindle	<b>92.00</b>
<b>SP80</b>	80mm Spindle	<b>108.00</b>
<b>AUTO-IR</b>	Presence Sensor and Door Activator 48", Length Field-Adjustable	<b>408.00</b>
<b>AUTO-KS</b>	Single Gang Key Lock Switch	<b>216.00</b>
<b>AUTO-KSN</b>	Narrow Key Lock Switch	<b>216.00</b>
<b>AUTO-RKR</b>	Narrow Rocker Switch	<b>115.00</b>
<b>AUTO-PROG</b>	Handheld Programmer	<b>1,101.00</b>