



S6000-DES Series

Slave Delayed Egress Rim & Vertical Rod Exit Devices

SDC's S6000-DES series slave operating exit devices secure the door in a delayed egress system.

Depressing the push pad activates the trigger input of either a 101-DE series delayed egress controller or a S6000-101 series all-in-one delayed egress exit device, initiating the 15 or 30 second unlock cycle.

Slave operating exit devices do not function on their own. S6000-DES series devices must be ordered with a 101-DE series delayed egress controller or a S6000-101 series all-in-one delayed egress device.

- Panic and fire rated devices
- ExitCheck® slave operation
- Push pad activation trigger
- Low power consumption, energy saver

ORDERING GUIDE

	TRIM FUNCTION			LENGTH		ELECTRIFICATION	
	01			36			
	02			42			
	03			48			
S61	01	P	U	36	R	DES	EK
S61		P	FINISH		R		EK
S62		F			L		GK
MODEL		RATING			LBR		SP
					LBRF		EKE
					OPTIONS		GKE
							TRIM

NOT REQUIRED

EXAMPLES

S6101PU36DES	Rim, Exit Only, Panic, 630, 36", Delayed Egress Slave	1,394.00
S6101FU36DES	Rim, Exit Only, Fire, 630, 36", Delayed Egress Slave	1,529.00
S6101PU48DES	Rim, Exit Only, Panic, 630, 48", Delayed Egress Slave	1,498.00
S6101FU48DES	Rim, Exit Only, Fire, 630, 48", Delayed Egress Slave	1,633.00
S6101PU42DES	Rim, Exit Only, Panic, 630, 42", Delayed Egress Slave	1,446.00

S6000-DES CONFIGURATION 1 of 1



S61



S62



Less Bottom Rod

MODEL		● ○ ○ ○ ○ ○ ○ ○	LIST \$
S61	Rim		799.00
S62	Surface Vertical Rod (SVR)		1,212.00

TRIM FUNCTION		○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
01	Exit Only (No Trim)		N/C
02	Dummy Trim (No Cylinder Prep)		N/C
03	Key Retracts Latchbolt (Nightlatch)		N/C

RATING		○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>		N/C
F	Fire-Rated Device		135.00

FINISH		○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C

LENGTH		○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>		N/C
42	42" Door Opening		52.00
48	48" Door Opening		104.00

OPTIONS		○ ○ ○ ○ ○ ● ○ ○	ADD TO LIST
R	Request-To-Exit (REX)		98.00
L	Latch Status (LS)		98.00
LBR*	Less Bottom Rod, Panic		N/C
LBRF*	Less Bottom Rod, Fire-Rated		N/C

**Available for S62 surface vertical rod devices only.*

ELECTRIFICATION		○ ○ ○ ○ ○ ○ ● ○	ADD TO LIST
DES	Delayed Egress Slave		595.00

TRIM*		○ ○ ○ ○ ○ ○ ●	ADD TO LIST
EK**	Eclipse Escutcheon		284.00
GK**	Galaxy Escutcheon		284.00
SP**	Saturn Escutcheon		99.00
EKE***	Electrified Eclipse Escutcheon		650.00
GKE***	Electrified Galaxy Escutcheon		650.00

** Key cylinder not included, specify separately.*

*** Available for 02 and 03 functions only.*

**** Available for 03 functions only.*

Related products on next page.



Eclipse Trim



Galaxy Trim



Saturn Trim



Mortise Key Cylinder



Rim Key Cylinder

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

EK02U	Replacement Trim, Eclipse Escutcheon, Dummy, 630	324.00
EK03U*	Replacement Trim, Eclipse Escutcheon, Nightlatch, 630	324.00
GK02U	Replacement Trim, Galaxy Escutcheon, Dummy, 630	324.00
GK03U*	Replacement Trim, Galaxy Escutcheon, Nightlatch, 630	324.00
SP02U	Replacement Trim, Saturn Escutcheon, Dummy, 630	118.00
SP03U*	Replacement Trim, Saturn Escutcheon, Nightlatch, 630	118.00
EKE03U*	Replacement Trim, Electrified Eclipse Escutcheon, Nightlatch, 630	801.00
EKE03ULS*	Replacement Trim, Electrified Eclipse Escutcheon, Nightlatch, LS, 630	899.00
GKE03U*	Replacement Trim, Electrified Galaxy Escutcheon, Nightlatch, 630	801.00
GKE03ULS*	Replacement Trim, Electrified Galaxy Escutcheon, Nightlatch, LS, 630	899.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	55.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	55.00
RIM-CYL-KA**	Rim Cylinder, 6-Pin, Keyed Alike	41.00
ST1P	Rim Strike, 1 3/16" Projection	26.00
ST1F	Rim Strike, 1 3/16" Projection, Fire-Rated	26.00
ST2DF	Double Door Rim Strike, 1 3/16" Projection	60.00
ST2P	Vertical Rod Top Strike, 2 9/32" Projection	24.00
ST2F	Vertical Rod Top Strike, 1 1/8" Projection, Fire-Rated	24.00
ST28T	Threshold Strike, 3/8" Projection	19.00
KR90F*	Removable Mullion, 11 Gauge Steel, 8' x 2" x 2"	773.00
ST1MP	Mullion Strike, 7/8" Projection	84.00
ST1MF	Mullion Strike, 7/8" Projection	84.00

*Key cylinder not included, order separately.

**For EK03U, GK03U and SP03U trim only.