




SECURITY DOOR CONTROLS ■ WWW.SDCSECURITY.COM
 801 Avenida Acaso, Camarillo, CA 93012
 [t] 800.413.8783 ■ 805.494.0622 ■ E-mail: service@sdsecurity.com

TEMPLATE-S6103-SP03

Devices covered by this template:

**Panic / Fire Rim Exit Device with 03 Night-Latch Pull Plate
 RHR PREP**



THIS SIDE UP FOR LHR DOOR

FOLD HERE
CAUTION
DO NOT USE DOOR EDGE




SECURITY DOOR CONTROLS ■ WWW.SDCSECURITY.COM
801 Avenida Acaso, Camarillo, CA 93012
[t] 800.413.8783 ■ 805.494.0622 ■ E-mail: service@sdsecurity.com

TEMPLATE-S6103-SP03
Devices covered by this template:
Panic / Fire Rim Exit Device with 03 Night-Latch Pull Plate
LHR PREP

(2x) STRIKE MOUNTING HOLES
METAL: DRILL / TAP FOR 1/4" - 20 MACHINE SCREWS
WOOD: PRE-DRILL 1/8" HOLES

(3x) DEVICE MOUNTING HOLES
TRIM: DRILL 5/16" CLEARANCE HOLES ON PUSH SIDE,
15/32" HOLES ON PULL SIDE.

(2x) END CAP BRACKET HOLES
METAL: DRILL / TAP FOR 1/4"-20 MACHINE SCREWS.
WOOD: PRE-DRILL 1/8" HOLES.
SEXBOLTS: DRILL 5/16" CLEARANCE HOLES ON PUSH SIDE, 3/8" ON PULL SIDE.



4th Hole is off template. Refer to Trim Template for inside and outside install.

Watch for special mounting height requirements

